



Drilling devices for drilling and emptying shock absorbers and fuel tanks.

Fuel tank drilling device type: STH-TBR / 2010/001

Drilling/ suction device consisting of:

- Air pressure power-operated wrench
- Suction cylinder
- Crown drill
- Centre drill
- Issue thick cuff (BimSchG)
- Suction of petrol – diesel
- A I / A III media

Fuel tank drilling device type: STH-TBR / 2010/002

Drilling/ suction device, enlarged implementation:

- Suction probe with view distance and stop valve (electrically conducting)
- The Rectus connector socket is rebound protected
- Implementation for medium AI, AIII
- Hollow thorn needle for direct suction through fuel pipe

Shock absorber drilling device STB / RA / 2010/003

Drilling device for drilling and emptying shock absorbers

- Instep device with quick instep feed
- pneumatic air pressure power-operated wrench

For further information please use our [contact form](#) or contact us under phone: + 49 (0) 9401 605662

Fuel tank drilling device type: STH-TBR / 2010/001

Drilling/ suction device consisting of:

- Compressed air power-operated wrench
- Suction cylinder
- Crown drill
- Centre drill
- Issue thick cuff (BimSchG)
- Suction cleanings of petrol – diesel
- A I / A III media

Fuel tank drilling device type: STH-TBR / 2010/002

Drilling/ suction device, enlarged implementation:

- Suction probe with view distance and stop valve (electrically leading-able)
- Rectus connector socket rebound protected
- Implementation for medium AI, AIII
- Hollow thorn needle for direct through fuel pipe

Shock absorber drilling device STB / RA / 2010/003

Drilling device for drilling and emptying shock absorbers

- Instep device with quick instep feed
- pneumatic air pressure power-operated wrench

For further information you use please our [contact form](#) or you contact us under phone: + 49 (0) in 9401 605662.